

Kleurenkiezer

		kleur / couleurs	lijmmortel / mortier colle	dunbedmortel / mortier fin
AGORA	Agora Aagaatgrijs - Gris Agate (Eco-Brick®)	METALLIC	PVM omnifix	B GM omnifix A
	Agora Alugrijs - Gris alu	PIGEON	PVM omnifix	B GM omnifix A
	Agora Donkergrijs - Gris foncé	TITAN	PVM omnifix	B GM omnifix A
	Agora Grafietzwart - Noir graphite (Eco-Brick®)	ANTRACITE	PVM omnifix	B GM omnifix A
	Agora Ivoorwit - Blanc ivoire	IVOIRE	PVM omnifix	B GM omnifix A
	Agora Lichtgrijs - Gris clair	SAHARA	PVM omnifix	B GM omnifix A
	Agora Superwit - Super blanc (Eco-Brick®)	SAHARA	PVM omnifix	B GM omnifix A
	Agora Titaangrijs - Gris titane	PIGEON	PVM omnifix	B GM omnifix A
	Agora Zilvergrijs - Gris argenté (Eco-Brick®)	METALLIC	PVM omnifix	B GM omnifix A
AVENUE	Avenue grijs onbezand - gris non-sablé	PURE	PVM omnifix	C GM omnifix A
	Avenue rood naturel onbezand - rouge naturel non-sablé	TOSCANE	PVM omnifix	C GM omnifix A
	Avenue zwart zwart bezand	ANTRACITE	PVM omnifix	C GM omnifix A
BEERSE	Blue velvet	WINE	PVM omnifix	B GM omnifix A
	Spaans rood	CAMPINE	PVM omnifix	B GM omnifix A
	Pastorale gesmoord	PURE	PVM omnifix	B GM omnifix A
BEERSE WASSERSTRICH SPECIAL	Wasserstrich Special Ecu	SAND	PVM omnifix	B GM omnifix A
	Wasserstrich Special E 1	WENGE	PVM omnifix	B GM omnifix A
	Wasserstrich Special E 2	ANTRACITE	PVM omnifix	B GM omnifix A
	Wasserstrich Special grijs - gris Spécial	METALLIC	PVM omnifix	B GM omnifix A
	Wasserstrich Special Rood - Rouge Spécial	WINE	PVM omnifix	B GM omnifix A
	Wasserstrich Special Zwart - Noir Spécial	ANTRACITE	PVM omnifix	B GM omnifix A
	Wasserstrich Wit / Blanc	IVOIRE	PVM omnifix	B GM omnifix A
	Wasserstrich Opaalwit / Opale Blanche	IVOIRE	PVM omnifix	B GM omnifix A
	Wasserstrich Grijswit / Gris Blanc	IVOIRE	PVM omnifix	B GM omnifix A
Wasserstrich Kwartsgrijs / Gris Quartz	METALLIC	PVM omnifix	B GM omnifix A	
CASSIA	Cassia Bruin - Brun	CHOCOLAT	PVM omnifix	B GM omnifix A
	Cassia Zwart Grafiet - Noir Graphite	ANTRACITE	PVM omnifix	B GM omnifix A
	Cassia Rood - Rouge	TOSCANE	PVM omnifix	B GM omnifix A
	Cassia Shadow	WENGE	PVM omnifix	B GM omnifix A
COLORLINE	Colorline Rood bezand - Sablé	TOSCANE	PVM omnifix	B GM omnifix A
	Colorline Rood glad - Rouge lisse	TOSCANE	PVM omnifix	B GM omnifix A
	Colorline Rood satijn - Rouge satin sablé	TOSCANE	PVM omnifix	B GM omnifix A
DOMUS	Domus Duifwit - Colombe	IVOIRE	PVM omnifix	B GM omnifix A
	Domus Amandel - Amande	SAND	PVM omnifix	B GM omnifix A
	Domus Kiezelgrijs - Caillou	ANTRACITE	PVM omnifix	B GM omnifix A
	Domus Granietgrijs - Gris granit	KAKI	PVM omnifix	B GM omnifix A
	Domus Casa Lena	CONCRETE	PVM omnifix	B GM omnifix A
FORUM	Forum Branco	SAND	PVM omnifix	B GM omnifix A
	Forum Bruna	CHOCOLAT	PVM omnifix	B GM omnifix A
	Forum Bruna genuanceerd - nuancé	CHOCOLAT	PVM omnifix	B GM omnifix A
	Forum Cobra	WINE	PVM omnifix	B GM omnifix A
	Forum Cromo (Eco-Brick®)	PURE	PVM omnifix	B GM omnifix A
	Forum Cromo genuanceerd - nuancé (Eco-Brick®)	PURE	PVM omnifix	B GM omnifix A
	Forum Ombra	ANTRACITE	PVM omnifix	B GM omnifix A
	Forum Prata (Eco-Brick®)	SAHARA	PVM omnifix	B GM omnifix A
	Forum Prata genuanceerd - nuancé (Eco-Brick®)	SAHARA	PVM omnifix	B GM omnifix A
	Forum Rojo	TOSCANE	PVM omnifix	B GM omnifix A
	Forum Tinto	TOSCANE	PVM omnifix	B GM omnifix A
HETEREN	Atlas (Eco-Brick®)	PIGEON	PVM omnifix	B GM omnifix A
	Dione (Eco-Brick®)	PURE	PVM omnifix	B GM omnifix A
	Reno (Eco-Brick®)	ANTRACITE	PVM omnifix	B GM omnifix A
	Triton (Eco-Brick®)	PURE	PVM omnifix	B GM omnifix A
IMPERIUM	Uncia	KAKI	PVM omnifix	B GM omnifix A
	Sestus	IVOIRE	PVM omnifix	B GM omnifix A
	Decius	IVOIRE	PVM omnifix	B GM omnifix A
	Albius	SNOW	PVM omnifix	B GM omnifix A
	Numus	SNOW	PVM omnifix	B GM omnifix A
	Lucus	SNOW	PVM omnifix	B GM omnifix A
	Flavius	METALLIC	PVM omnifix	B GM omnifix A
	Dionus	METALLIC	PVM omnifix	B GM omnifix A

De weersomstandigheden kunnen de zuigkracht van de steen beïnvloeden.

Kleurenkiezer

		kleur / couleurs	lijmmortel / mortier colle	dunbedmortel / mortier fin
KORTEMARK	Wanlin Leder - Cuir	ORANGE	PVM omnifix	B GM omnifix A
	Wanlin Mangaan - Manganèse	CHOCOLAT	PVM omnifix	B GM omnifix A
	Wanlin Roest - Rouille	CAMPINE	PVM omnifix	B GM omnifix A
	Wanlin Rood - Rouge	CAMPINE	PVM omnifix	B GM omnifix A
LATERO	Rosso	TOSCANE	PVM omnifix	B GM omnifix A
	Oriente	TOSCANE	PVM omnifix	B GM omnifix A
	Fire	TOSCANE	PVM omnifix	B GM omnifix A
	Avorio	SAND	PVM omnifix	B GM omnifix A
	Menta	KAKI	PVM omnifix	B GM omnifix A
	Sepia	CHOCOLAT	PVM omnifix	B GM omnifix A
	Mogano	CHOCOLAT	PVM omnifix	B GM omnifix A
LINAQUA	Fumo	ANTRACITE	PVM omnifix	B GM omnifix A
	Giallo	SAND	PVM omnifix	B GM omnifix A
	Vino	WINE	PVM omnifix	B GM omnifix A
	Viola	WINE	PVM omnifix	B GM omnifix A
LINNAEUS	Linnaeus gesmoord - étouffé (Eco-Brick®)	ANTRACITE	PVM omnifix	B GM omnifix A
	Linnaeus Quercus (Eco-Brick®)	CHOCOLAT	PVM omnifix	B GM omnifix A
	Linnaeus Robinia (Eco-Brick®)	WINE	PVM omnifix	B GM omnifix A
	Linnaeus Betula	CANYON	PVM omnifix	B GM omnifix A
	Linnaeus Tilia	WINE	PVM omnifix	B GM omnifix A
	Linnaeus Salix	KAKI	PVM omnifix	B GM omnifix A
MAASEIK	Hectic	WINE	PVM omnifix	B GM omnifix A
	Hectic extra	WINE	PVM omnifix	B GM omnifix A
	Hectic gesmoord special - étouffé spécial	ANTRACITE	PVM omnifix	B GM omnifix A
	Hectic gesmoord - étouffé	ANTRACITE	PVM omnifix	B GM omnifix A
	Paarsblauw - Bleu Mauve	WINE	PVM omnifix	B GM omnifix A
	Veldbrand gesmoord	ANTRACITE	PVM omnifix	B GM omnifix A
MARONO	Marono Bruin - Brun	CHOCOLAT	PVM omnifix	B GM omnifix A
	Marono Bruin extra - Brun extra (Eco-Brick®)	CHOCOLAT	PVM omnifix	B GM omnifix A
	Marono Bruin extra E1 - Brun extra E1	CHOCOLAT	PVM omnifix	B GM omnifix A
	Marono Extra F1	CHOCOLAT	PVM omnifix	B GM omnifix A
	Marono Gesmoord - Étouffé	ANTRACITE	PVM omnifix	B GM omnifix A
	Marono Gesmoord extra - Étouffé extra (Eco-Brick®)	ANTRACITE	PVM omnifix	B GM omnifix A
	Marono Grijs - bruin extra genuanceerd - Gris-brun extra nuancé	KAKI	PVM omnifix	B GM omnifix A
	Marono Rood - Rouge	CAMPINE	PVM omnifix	B GM omnifix A
	Marono Rood extra - Rouge extra (Eco-Brick®)	CAMPINE	PVM omnifix	B GM omnifix A
	Marono Shadow extra (Eco-Brick®)	WENGE	PVM omnifix	B GM omnifix A
	METROPOLIS (Eco-Brick®)	Atrium Rood / Rouge Atrium (Eco-Brick®)	CACAO	PVM omnifix
Aula Rood / Rouge Aula (Eco-Brick®)		CACAO	PVM omnifix	B GM omnifix A
Galleria Geel / Jaune Galleria (Eco-Brick®)		SAND	PVM omnifix	B GM omnifix A
Portus Geel / Jaune Portus (Eco-Brick®)		SAND	PVM omnifix	B GM omnifix A
Civitas Bruin / Brun Civitas (Eco-Brick®)		CHOCOLAT	PVM omnifix	B GM omnifix A
Urbis Bruin / Brun Urbis (Eco-Brick®)		CHOCOLAT	PVM omnifix	B GM omnifix A
Colonia Zwart / Noir Colonia (Eco-Brick®)		PIGEON	PVM omnifix	B GM omnifix A
Vesta Zwart / Noir Vesta (Eco-Brick®)		PIGEON	PVM omnifix	B GM omnifix A
NUANCE	Rhône	PURE	PVM omnifix	B GM omnifix A
	Rhône exclusief	PURE	PVM omnifix	B GM omnifix A
	Alverna	WINE	PVM omnifix	B GM omnifix A
PAGUS	Pagus Bruin-zwart - Brun-noir WFD	PURE	PVM omnifix	B GM omnifix A
	Pagus Grijs - Gris WFD	PURE	PVM omnifix	B GM omnifix A
	Pagus Grijs-zwart Gris-noir WFD	PURE	PVM omnifix	B GM omnifix A
	Pagus Paars - Pourpre WFD	WENGE	PVM omnifix	B GM omnifix A
PÉRUWELZ	Canyonbrick red	CAMPINE	PVM omnifix	B GM omnifix A
QUIRYNEN	Colorada	TOSCANE	PVM omnifix	B GM omnifix A
	Loma	WENGE	PVM omnifix	B GM omnifix A
	Mantura	ANTRACITE	PVM omnifix	B GM omnifix A

De weersomstandigheden kunnen de zuigkracht van de steen beïnvloeden.

Kleurenkiezer

		kleur / couleurs	lijmmortel / mortier colle	dunbedmortel / mortier fin	
ROCHER	Rocher Grijs - Gris	PURE	PVM omnifix B	GM omnifix A	
	Rocher Rood - Rouge	CAMPINE	PVM omnifix B	GM omnifix A	
ROCKFACE	Rockface Grijs - Gris	KAKI	PVM omnifix C	GM omnifix A	
	Rockface Mastic	CHOCOLAT	PVM omnifix C	GM omnifix A	
	Rockface Oranje - Orange	ORANGE	PVM omnifix C	GM omnifix A	
	Rockface Rood - Rouge	TOSCANE	PVM omnifix C	GM omnifix A	
	Rockface Wit - Wit	IVOIRE	PVM omnifix C	GM omnifix A	
	Rockface Zwart- Noir	ANTRACITE	PVM omnifix C	GM omnifix A	
RUSTICA	Rustica Mangaan - Manganèse	ANTRACITE	PVM omnifix B	GM omnifix A	
	Rustica Oud Laethem	TITAN	PVM omnifix B	GM omnifix A	
	Rustica Oud Leerne	TITAN	PVM omnifix B	GM omnifix A	
THORN	Belcanto (Eco-Brick®)	WINE	PVM omnifix B	GM omnifix A	
	Blauw-rood genuanceerd - Bleu-rouge nuancé	WINE	PVM omnifix B	GM omnifix A	
	Blauw-rood gesinterd - Bleu-rouge gesinterd	WINE	PVM omnifix B	GM omnifix A	
	Gravita	TOSCANE	PVM omnifix B	GM omnifix A	
	Grijs gesinterd	TITAN	PVM omnifix B	GM omnifix A	
	Wijnrood (Eco-Brick®)	WINE	PVM omnifix B	GM omnifix A	
VELDWEZELT	Paepsteen (Eco-Brick®)	CAMPINE	PVM omnifix B	GM omnifix A	
	Pampas (Eco-Brick®)	WINE	PVM omnifix B	GM omnifix A	
	Nero zwart mangaan (Eco-Brick®)	ANTRACITE	PVM omnifix B	GM omnifix A	
	Galactic	ANTRACITE	PVM omnifix B	GM omnifix A	
	Amarillo (Eco-Brick®)	SAND	PVM omnifix B	GM omnifix A	
	Plaza (Eco-Brick®)	KAKI	PVM omnifix B	GM omnifix A	
VORMBAK	Elise	WINE	PVM omnifix B	GM omnifix A	
	Edinbrugh	SAND	PVM omnifix B	GM omnifix A	
	Edmonton	WINE	PVM omnifix B	GM omnifix A	
	Etna	WENGE	PVM omnifix B	GM omnifix A	
	Bemmels blauw	PIGEON	PVM omnifix B	GM omnifix A	
	Elmore	PURE	PVM omnifix B	GM omnifix A	
	Oud Rose	CAMPINE	PVM omnifix B	GM omnifix A	
	Koraalrood	WINE	PVM omnifix B	GM omnifix A	
	Koraalrood gereduceerd fantasy	ANTRACITE	PVM omnifix B	GM omnifix A	
	Puur wit	STRAW	PVM omnifix B	GM omnifix A	
	Puur zwart	ANTRACITE	PVM omnifix B	GM omnifix A	
	Mazaruni zwart zand	WENGE	PVM omnifix B	GM omnifix A	
	WASSERSTRICH	Goudsbloem	ORANGE	PVM omnifix B	GM omnifix A
		Passiebloem	WINE	PVM omnifix B	GM omnifix A
Hoornbloem		PURE	PVM omnifix B	GM omnifix A	
Kogelbloem		CHOCOLAT	PVM omnifix B	GM omnifix A	
Lupo		TOSCANE	PVM omnifix B	GM omnifix A	
Malva		ROSSO	PVM omnifix B	GM omnifix A	
Malva exclusief		ANTRACITE	PVM omnifix B	GM omnifix A	
Senna		KAKI	PVM omnifix B	GM omnifix A	
Cosmos		CHOCOLAT	PVM omnifix B	GM omnifix A	
Cosmos exclusief		CHOCOLAT	PVM omnifix B	GM omnifix A	
ZENNEWIJNEN		Antraton (Eco-Brick®)	ANTRACITE	PVM omnifix B	GM omnifix A
	Norton (Eco-Brick®)	WENGE	PVM omnifix B	GM omnifix A	
	Preston (Eco-Brick®)	ANTRACITE	PVM omnifix B	GM omnifix A	
	Rood - Rouge (Eco-Brick®)	CACAO	PVM omnifix B	GM omnifix A	
	Ruston (Eco-Brick®)	CHOCOLAT	PVM omnifix B	GM omnifix A	

Deze technische gegevens zijn gebaseerd op jarenlange praktijkervaring en laboratorium-research. Wij zijn niet aansprakelijk voor het volgens onze systemen vervaardigde werk, daar factoren buiten onze beoordeling en invloed mede bepalend zijn voor het uiteindelijke resultaat. Wij garanderen dat dit product in steeds gelijkblijvende kwaliteit wordt geleverd. In geval van twijfel adviseren wij zelf proeven door te voeren.

Initiële wateropname (IW)			Lijmtype	
IW klasse	Type gevelsteen	Initiële wateropzuiging (kg/m ² min)	PVM	GM
IW1	Zeer weinig zuigend	IW ≤ 0,5	C	B
IW2	Matig zuigend	0,5 < IW ≤ 1,5	B	A
IW3	Normaal zuigend	1,5 < IW ≤ 4,0	B	A
IW4	Sterk zuigend	4,0 < IW	A	A

IW: bepaald volgens EN 772-11

De weersomstandigheden kunnen de zuigkracht van de steen beïnvloeden.